





The Next Generation Mahindra Pik Up has been designed to be strong and practical, with all the power you need to get the job done. Built in India to withstand the harsh conditions of the subcontinent it delivers strength and tenacity, with reliability you can depend on. A large load box with a maximum payload of 1200 kg<sup>1</sup>, and a braked towing capacity of 2500 kg make it the hard working, dependable team player you've always wanted. The Next Generation Mahindra Pik Up comes with a restyled Mahindra signature front grille with chrome inserts, dual projector headlamps, an integrated air-scoop in the bonnet, and tough new wrap-around bumpers.

The Next Generation Mahindra Pik Up is powered by Mahindra's legendary 2.2 litre, 4-cylinder mHawk turbo-diesel engine. The new six-speed transmission delivers an impressive 103kW of power and 320Nm of torque, providing effortless acceleration and all the muscle you could ever need. The updated engineering is more fuel efficient too, and low on  ${\rm CO_2}$  emissions - a hallmark of Mahindra's cutting-edge technology.

The Pik Up's Mechanical Locking Differential (MLD) is manufactured by the world renowned Eaton Corporation with its 'shift-on-the-fly' functionality further enhancing its off-road capabilities. It provides full axle lock automatically when needed without any manual intervention, providing the optimum traction for your situation.

### THE HARDEST WORKER YOU'LL EVER HAVE ON YOUR TEAM.

## just so





















- 01 The legendary mHawk turbo-diesel engine.
- 02 Dual projector headlamps.
- 03 The integrated bonnet scoop and restyled signature grille.
- 04 The six-speed gearbox provides ample power whenever you need it. 09 Dual airbags for driver and passenger.<sup>2</sup>
- 05 Tough new road-armour bumpers.

- 06 The factory-fitted audio system features USB and auxilliary.<sup>2</sup>
- 07 The cab is well ventilated with heater and fan³ or manual air-conditioner.²
- 08 A12V charging point is mounted on the centre console.

### **EVERYTHING YOU NEED: IN PLACE**

The Next Generation Mahindra Pik Up has all that you will need in terms of comfort. Standard features include power steering, central locking2 and a USB port. There is also a manual air conditioner2 to help you keep your cool when things get hot. Other advances include the introduction of Micro-hybrid technology that enables the engine to intelligently switch into standby mode when not in use, saving both on fuel and the environment.

On the performance front, new Cushion Suspension and Anti-Roll Technology provide unparalleled stability and road holding, while ABS (anti-lock braking system)2 with EBD (electronic brake distribution)2 will keep you in control in hazardous situations.

Additional safety aspects of the Pik Up include dual front airbags and side impact protectionbars. The engine immobiliser includes an encrypted key recognition system that will reject any foreign key accessing the vehicle. This is further supported by the anti-theft warning system to protect against illegal entry.

ABS with EBD will keep you in control when you think you're losing control

A comprehensive range of high quality accessories is available to enhance your vehicle - providing you with all that you could possibly need to go where you want to go and do what you need to do. Ask your dealer for more details.









- LO Towbar.
- 11 Replacement side step.
- 12 Front wrap-around bumper.
- 13 Roll-bar with laser-cut logo detail.

| Features                                      | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 |
|---|-------------|--------|--------|--------|--------|
| New front grille with silver highlights       |             |        |        | •      | •      |
| Fog lamps, new round style with silver bezel  |             |        |        | •      |        |
| New clear-lens side indicator with amber bulb |             |        |        | •      |        |
| New clear lens dual projector headlamps       |             |        |        | •      | •      |
| High-level brake light                        |             | •      | •      | •      |        |
| One-touch lane change indicator               |             |        |        | •      |        |
| Colour-coded bumpers                          |             |        |        | •      |        |
| Electric outside rear-view mirrors (ORVMs)    |             |        |        | •      |        |
| Colour-coded mirrors                          |             |        |        |        |        |
| Colour-coded door handles                     |             |        |        | •      |        |
| Mud flaps                                     |             | •      | •      | •      |        |
| Side step                                     |             | •      | •      |        | •      |
| Integrated bonnet scoop                       | •           | •      | •      | •      |        |
| Side mouldings                                | •           | •      | •      | •      | •      |

| Comfort and convenience                | S4 Dropside | S4 4X2   | S4 4X4   | S6 4X2 | S6 4X4 |
|--|-------------|----------|----------|--------|--------|
| Air conditioner (Manual control)       | Optional    | Optional | Optional |        |        |
| Heater and fan                         | •           | •        | •        |        |        |
| Heated rear window demister            | •           | •        |          | •      |        |
| Power windows                          |             |          |          | •      | •      |
| Power steering                         | •           | •        | •        | •      |        |
| Tiltable steering                      | •           | •        | •        | •      | •      |
| Central locking                        |             |          |          | •      |        |
| Keyless entry                          |             |          |          | •      | •      |
| 12V charging point on central bezel    | •           | •        | •        | •      |        |
| Integrated audio system with USB & AUX |             |          |          | •      | •      |
| Swivel interior reading lamps          | •           | •        | •        | •      |        |
| Height adjustable driver's seat        |             |          |          | •      | •      |
| Arm rests for driver and passenger     |             |          |          | •      |        |
| Headrests                              |             | •        | •        | •      | •      |
| Upholstery                             | Vinyl       | Vinyl    | Vinyl    | Fabric | Fabric |
| Electrically operated fuel lid         |             |          |          | •      | •      |
| Illuminated key ring                   | •           | •        | •        |        |        |

| Safety                              | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 |
|-------------------------------------|-------------|--------|--------|--------|--------|
| Anti-Lock Braking System (ABS)      | -           |        |        |        |        |
| Electronic Brake Distribution (EBD) |             |        |        |        |        |
| Seat Belt Pretensioner              |             |        |        |        | •      |
| Air-Bags (Driver   Passenger)       |             |        |        |        |        |
| Side impact protection bars         |             | •      |        |        | •      |
| Collapsible steering column         |             |        |        |        |        |
| Crash bar                           | •           | •      |        |        |        |
| Seat belt reminder                  | •           | •      |        |        |        |
| Auto-locking doors                  |             |        |        |        | •      |

| Technology                  | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 |
|-----------------------------|-------------|--------|--------|--------|--------|
| Micro hybrid (Start/stop)   | •           | •      |        |        |        |
| Cruise control              |             |        |        |        |        |
| Digital immobilser          |             | •      |        |        |        |
| Follow me home headlamps    |             |        |        |        |        |
| Automatic headlamp reminder |             |        |        |        |        |

Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications.
Service plan not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.

| Technical data                 | S4 & S6 4X2 & 4X4                             |  |  |  |  |  |
|--------------------------------|---|--|--|--|--|--|
| Engine capacity                | 2179 cc                                       |  |  |  |  |  |
| Number of cylinders            | 4   |  |  |  |  |  |
| Fuel type                      | Diesel  |  |  |  |  |  |
| Aspiration                     | Turbocharger                                  |  |  |  |  |  |
| Fuel injection type            | Common rail                                   |  |  |  |  |  |
| Bore x stroke                  | 85 x 96 mm                                    |  |  |  |  |  |
| Compression ratio              | 16.5:1  |  |  |  |  |  |
| Number of cylinders            | 4   |  |  |  |  |  |
| Power output                   | 103 kW @ 3750 r/min                           |  |  |  |  |  |
| Torque output                  | 320 Nm @ 1500 - 2800 r/min                    |  |  |  |  |  |
| Fuel consumption - combined    | 7.7 l/100km (2WD) / 7.9 l/100km (4WD)         |  |  |  |  |  |
| CO <sub>2</sub> Emission       | 204 gm/km (2WD) / 210gm/km (4WD)              |  |  |  |  |  |
| Emission - Euro stage          | Euro 2  |  |  |  |  |  |
| Drive type                     | 2WD / 4WD                                     |  |  |  |  |  |
| Transmission                   | 6-speed manual                                |  |  |  |  |  |
| Low range                      | Available on 4WD only                         |  |  |  |  |  |
| Mechanical differential lock   | Rear axle MLD                                 |  |  |  |  |  |
| Wheel rim size                 | 6.5J X 16"                                    |  |  |  |  |  |
| Tyre size                      | 245/75R16                                     |  |  |  |  |  |
| Spare wheel                    | Full size spare                               |  |  |  |  |  |
| Spare wheel lock               | Yes   |  |  |  |  |  |
| GCM                            | 5650 kg                                       |  |  |  |  |  |
| GVM                            | 3150 kg                                       |  |  |  |  |  |
| Payload                        | 1195kg (2WD) /1095kg (4WD)                    |  |  |  |  |  |
| Legal towing weight - braked   | 2500kg  |  |  |  |  |  |
| Legal towing weight - unbraked | 750kg   |  |  |  |  |  |
| Overall length                 | 5175 mm                                       |  |  |  |  |  |
| Overall width                  | 1820 mm                                       |  |  |  |  |  |
| Overall height (unladen)       | 1860 mm                                       |  |  |  |  |  |
| Minimum ground clearance       | 210 mm  |  |  |  |  |  |
| Wheelbase                      | 3040 mm                                       |  |  |  |  |  |
| Track - front                  | 1450 mm                                       |  |  |  |  |  |
| Track - rear                   | 1450 mm                                       |  |  |  |  |  |
| Approach angle                 | 34º   |  |  |  |  |  |
| Breakover angle                | 18º   |  |  |  |  |  |
| Departure angle                | 15⁰   |  |  |  |  |  |
| Fuel tank capacity             | 80 litres                                     |  |  |  |  |  |
| Turning radius                 | 6.7 m   |  |  |  |  |  |
| Load area dimensions - Pik Up  | Length 2294 mm, Width 1520 mm, Depth 550 mm   |  |  |  |  |  |
| Outside dimensions - Dropside  | Length 2400 mm, Width 1680 mm, Height 1060 mm |  |  |  |  |  |

| Warranty and service information                                      | S4 Dropside / S4 4X2 & 4X4 | S6 4X2 & 4X4        |  |  |  |  |
|---|----------------------------|---------------------|--|--|--|--|
| Warranty  | 4-Years/120 000 km         | 4-Years/120 000 km  |  |  |  |  |
| Service plan**  | Optional                   | 5-Years/90 000 km   |  |  |  |  |
| Service intervals   | 20 000 km                  | 20 000 km           |  |  |  |  |
| 1st service10 000 km, thereafter every 20 000 km (with Maximile Oils) |                            |                     |  |  |  |  |
| Roadside Assistance**   | 4-Years/ 120 000 km        | 4-Years/ 120 000 km |  |  |  |  |



Customer Care: (012) 661 3159 / (012) 661 3161 Email: customercare@mahindra.co.za www.mahindra.co.za

First Floor Block A Southdowns Ridge Office Park John Vorster Drive (corner Nelmapius) Southdowns Centurion P O Box 69079 Highveld Park 0169 South Africa









PLEASE NOTE: Some of the equipment shown in this brochure may not be available on all models or in all markets. Some finishes and specifications are also not available in all markets. All specifications are subject to change without notice. Please contact your local dealer for the latest information.

DATE OF PUBLICATION: APRIL 2024 PART NO: BROCHURE 18285







Mahindra. Unleash the Explorer in You. mahindra.co.za Ts & Cs Apply.











# New Mahindra sc Karoo.

Assembled in South Africa.





**At home in South Africa** 

Mahindra. Unleash the Explorer in You.

## THE HARDEST WORKER YOU'LL

The Mahindra Pik Up has been designed to be strong and practical, with all the power you need to get the job done. Built in India to withstand the harsh conditions of the subcontinent it delivers strength and tenacity, with reliability you can depend on. A large load box with a maximum payload of 1200 kg¹, and a braked towing capacity of 2500 kg make it the hard working, dependable team player you've always wanted. The Mahindra Pik Up comes with a restyled Mahindra signature front grille with chrome inserts, dual projector headlamps, an integrated air-scoop in the bonnet, and tough new wrap-around bumpers.

The Mahindra Pik Up is powered by Mahindra's legendary 2.2 litre, 4-cylinder mHawk turbo-diesel engine. The six-speed transmission delivers an impressive 103kW of power and 320Nm of torque, providing effortless acceleration and all the muscle you could ever need. The updated engineering is more fuel efficient too, and low on CO<sup>2</sup> emissions - a hallmark of Mahindra's cutting-edge technology.

The Pik Up's Mechanical Locking Differential (MLD) is manufactured by the world renowned Eaton Corporation with its 'shift-on-the-fly' functionality further enhancing its off-road capabilities. It provides full axle lock automatically when needed without any manual intervention, providing the optimum traction for your situation.



### EVER HAVE ON YOUR TEAM.





- 01 The legendary mHawk turbo-diesel engine.
- 02 The six-speed gearbox provides ample power whenever you need it.
- 03 Dual projector headlamps.
- 04 The integrated bonnet scoop and restyled signature grille.

- 05 Nudge bar.
- 06 Replacement side step.
- 07 Roll-bar with laser-cut logo detail.
- 08 Towbar.

- 09 The factory-fitted audio system features USB and auxilliary.<sup>2</sup>
- 10 The cab is well ventilated with heater and fan³ or manual air-conditioner.²
- 11 A12V charging point is mounted on the centre console.
- 12 Dual airbags for driver and passenger.2



### **EVERYTHING YOU NEED: IN PLACE**

The Mahindra Pik Up has all that you will need in terms of comfort. Standard features include power steering, central locking<sup>2</sup> and a USB port. There is also a manual air conditioner<sup>2</sup> to help you keep your cool when things get hot. Other advances include the introduction of Micro-hybrid technology that enables the engine to intelligently switch into standby mode when not in use, saving both on fuel and the environment.

On the performance front, new Cushion Suspension and Anti-Roll Technology provide unparalleled stability and road holding, while ABS (anti-lock braking system)<sup>2</sup> with EBD (electronic brake distribution)<sup>2</sup> will keep you in control in hazardous situations.

Additional safety aspects of the Pik Up include dual front airbags and side impact protectionbars. The engine immobiliser includes an encrypted key recognition system that will reject any foreign key accessing the vehicle. This is further supported by the anti-theft warning system to protect against illegal entry.

A comprehensive range of high quality accessories is available to enhance your vehicle - providing you with all that you could possibly need to go where you want to go and do what you need to do. Ask your dealer for more details.a

### **KAROO EXTRAS:**


- Nudge Bar Sports bar Tonneau cover Framed
- Rubberised Load Bin Karoo Decals Blackouts
- Alloy wheels Karoo Rubber mats •












2 - Features standard on S6 only. 3 - Standard on S4 onl



| Features                                      | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 | S6 Karoo |
|---|-------------|--------|--------|--------|--------|----------|
| New front grille with silver highlights       |             |        |        | •      |        |          |
| Fog lamps, new round style with silver bezel  |             |        |        |        |        |          |
| New clear-lens side indicator with amber bulb |             |        |        |        |        |          |
| New clear lens dual projector headlamps       |             |        |        |        |        | •        |
| High-level brake light                        | •           |        |        |        |        |          |
| One-touch lane change indicator               |             |        |        |        |        |          |
| Colour-coded bumpers                          |             |        |        |        |        |          |
| Electric outside rear-view mirrors (ORVMs)    |             |        |        |        |        |          |
| Colour-coded mirrors                          |             |        |        |        |        |          |
| Colour-coded door handles                     |             |        |        |        |        |          |
| Mud flaps                                     |             | •      |        |        |        |          |
| Side step                                     |             | •      |        |        |        |          |
| Integrated bonnet scoop                       |             | •      |        | •      |        | •        |
| Side mouldings                                | •           | •      |        | •      | •      | •        |

| Comfort and convenience                | S4 Dropside | S4 4X2   | S4 4X4   | S6 4X2 | S6 4X4 |        |
|--|-------------|----------|----------|--------|--------|--------|
| Air conditioner (Manual control)       | Optional    | Optional | Optional |        |        | •      |
| Heater and fan                         |             | •        |          |        |        |        |
| Heated rear window demister            |             |          |          |        |        |        |
| Power windows                          |             |          |          |        |        |        |
| Power steering                         | •           | •        | •        | •      |        |        |
| Tiltable steering                      |             |          |          |        |        |        |
| Central locking                        |             |          |          |        |        |        |
| Keyless entry                          |             |          |          | •      |        | •      |
| 12V charging point on central bezel    |             |          |          |        |        |        |
| Integrated audio system with USB & AUX |             |          |          |        |        | •      |
| Swivel interior reading lamps          |             | •        | •        |        |        |        |
| Height adjustable driver's seat        |             |          |          | •      |        | •      |
| Arm rests for driver and passenger     |             |          |          |        |        |        |
| Headrests                              | •           |          | •        | •      |        | •      |
| Upholstery                             | Vinyl       | Vinyl    | Vinyl    | Fabric | Fabric | Fabric |
| Electrically operated fuel lid         |             |          |          |        |        | •      |
| Illuminated key ring                   |             |          |          |        |        |        |

| Safety                              | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 |   |
|-------------------------------------|-------------|--------|--------|--------|--------|---|
| Anti-Lock Braking System (ABS)      |             |        |        |        |        | • |
| Electronic Brake Distribution (EBD) |             |        |        |        |        |   |
| Seat Belt Pretensioner              |             |        |        |        | •      |   |
| Air-Bags (Driver   Passenger)       |             |        |        |        |        |   |
| Side impact protection bars         | .           | •      |        |        |        |   |
| Collapsible steering column         |             |        |        |        |        |   |
| Crash bar                           | .           | •      |        |        |        |   |
| Seat belt reminder                  | •           | •      | •      |        |        |   |
| Auto-locking doors                  |             |        |        | •      | •      | • |

| Technology                  | S4 Dropside | S4 4X2 | S4 4X4 | S6 4X2 | S6 4X4 |  |
|-----------------------------|-------------|--------|--------|--------|--------|--|
| Micro hybrid (Start/stop)   |             | •      |        | •      |        |  |
| Cruise control              |             |        |        | •      |        |  |
| Digital immobilser          |             | •      |        | •      |        |  |
| Follow me home headlamps    |             |        |        | •      |        |  |
| Automatic headlamp reminder |             |        |        | •      | •      |  |

Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications.
Service plan not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.

| Technical data                 | S4 & S6 4X2 & 4X4 & Karoo                     |  |
|--------------------------------|---|--|
| Engine capacity                | 2179 cc                                       |  |
| Number of cylinders            | 4   |  |
| Fuel type                      | Diesel  |  |
| Aspiration                     | Turbocharger                                  |  |
| Fuel injection type            | Common rail                                   |  |
| Bore x stroke                  | 85 x 96 mm                                    |  |
| Compression ratio              | 16.5:1  |  |
| Number of cylinders            | 4   |  |
| Power output                   | 103 kW @ 3750 r/min                           |  |
| Torque output                  | 320 Nm @ 1500 - 2800 r/min                    |  |
| Fuel consumption - combined    | 7.7 l/100km (2WD) / 7.9 l/100km (4WD)         |  |
| CO, Emission                   | 204 gm/km (2WD) / 210gm/km (4WD)              |  |
| Emission - Euro stage          | Euro 2  |  |
| Drive type                     | 2WD / 4WD                                     |  |
| Transmission                   | 6-speed manual                                |  |
| Low range                      | Available on 4WD only                         |  |
| Mechanical differential lock   | Rear axle MLD                                 |  |
| Wheel rim size                 | 6.5J X 16"                                    |  |
| Tyre size                      | 245/75R16                                     |  |
| Spare wheel                    | Full size spare                               |  |
| Spare wheel lock               | Yes   |  |
| GCM                            | 5650 kg                                       |  |
| GVM                            | 3150 kg                                       |  |
| Payload                        | 1110kg (2WD) /1000kg (4WD)                    |  |
| Legal towing weight - braked   | 2500kg  |  |
| Legal towing weight - unbraked | 750kg   |  |
| Overall length                 | 5175 mm                                       |  |
| Overall width                  | 1820 mm                                       |  |
| Overall height (unladen)       | 1860 mm                                       |  |
| Minimum ground clearance       | 210 mm  |  |
| Wheelbase                      | 3040 mm                                       |  |
| Track - front                  | 1450 mm                                       |  |
| Track - rear                   | 1450 mm                                       |  |
| Approach angle                 | 34º   |  |
| Breakover angle                | 18º   |  |
| Departure angle                | 15º   |  |
| Fuel tank capacity             | 80 litres                                     |  |
| Turning radius                 | 6.7 m   |  |
| Load area dimensions - Pik Up  | Length 2294 mm, Width 1520 mm, Depth 550 mm   |  |
| Outside dimensions - Dropside  | Length 2400 mm, Width 1680 mm, Height 1060 mm |  |

| Warranty and service information                                      | S4 Dropside / S4 4X2 & 4X4 | S6 4X2 & 4X4        |  |  |  |  |
|---|----------------------------|---------------------|--|--|--|--|
| Warranty  | 4-Years/120 000 km         | 4-Years/120 000 km  |  |  |  |  |
| Service plan**  | Optional                   | 5-Years/90 000 km   |  |  |  |  |
| Service intervals   | 20 000 km                  | 20 000 km           |  |  |  |  |
| 1st service10 000 km, thereafter every 20 000 km (with Maximile Oils) |                            |                     |  |  |  |  |
| Roadside Assistance**   | 4-Years/ 120 000 km        | 4-Years/ 120 000 km |  |  |  |  |



Customer Care: **\** (012) 661 3161 Email: customercare@mahindra.co.za www.mahindra.co.za

First Floor Block A Southdowns Ridge Office Park John Vorster Drive (corner Nelmapius) Southdowns Centurion P O Box 69079 Highveld Park 0169 South Africa









PLEASE NOTE: Some of the equipment shown in this brochure may not be available on all models or in all markets. Some finishes and specifications are also not available in all markets. All specifications are subject to change without notice. Please contact your local dealer for the latest information.

DATE OF PUBLICATION: OCTOBER 2023 PART NO: BROCHURE 17555

MAHINDRA RECOMMENDS YOU USE ONLY





Mahindra. Unleash the Explorer in You. mahindra.co.za Ts & Cs Apply.

